



Barkers Marquees – *Manufacturer of Premium Frame Tents*

Barkers Marquees offer a wide range of Frame Marquees to suit most clients' requirements and budgets. They are manufactured using high quality materials; heavy duty PVC, anodised aluminium profile and galvanised steel connecting knuckles and baseplates. Our channelled aluminium framework ensures speed to construct as well as a wind, rain proof interior. These products are more robust than tubular framed alternative options.

CLEAR SPAN FRAME MARQUEES - *key features*

- Free central area with no centre poles or external guy ropes.
- Erected on all surfaces including tarmac, paving or concrete. Weights required to anchor to hardstanding.
- Can be built over existing structures, guttered together, added to buildings and accommodate changes in ground levels.
- High quality channelled aluminium frame with galvanised steel joints gives durability and strength.
- Framework components are highly interchangeable, maximising the flexibility of the system and minimising stock management.



Quality and Service

Established over 100 years ago, Barkers Marquees stand for quality, expertise and exceptional service. Working for the events industry means that we manufacture to meet clients' (sometimes tight) deadlines. Communication and honesty is the best approach in managing our clients' expectations. We work hard to plan our production schedule to meet each client's deadline and work with them if circumstances change.



Peace of Mind

Our Event Frame Marquees are designed in the UK and analysed by structural engineers to meet UK and European standards. We offer a one year manufacturers' warranty, making alterations if a manufacturing mistake has been made free of charge. If equipment needs repair we can organise collection, repair and despatch charged on a time and materials basis.



BARKERS Marquees
Fabric engineering at its best

Frame Marquees are increasingly popular as temporary structures during more inclement months due to their robust design.

Our Frame Marquees are Modular in design, so once the span is chosen you can add bays to increase the length of the marquee. This also allows gradual investment in the equipment, thereby maximising cashflow.

Optional Extras

White or Coloured PVC

We offer white, 'smooth' PVC, as standard. A range of 30+ coloured PVC is also available.

All fabrics used are fire retardant to British and European Standards.



Fabric samples posted on request



Window Style Choices

Most clients choose Panoramic or Half Panoramic Windows, for clear design lines. See our window brochure for full range of options.



Branding services.

Please supply your artwork so our printer can assess its suitability. Artwork can be created to suit your project.



Depending on complexity we can either print direct onto PVC or apply self adhesive, banner grade vinyl stickers to PVC.



Clear Panels in Roof Sheets

Roof Sheets can be made with clear panels to maximise views and light levels inside the marquee



Multiwall Door Units

Available for both 3m and 4.5m wall widths. Door units include:

- Door Cassette (Centrally positioned)
- Double Push Bars and locking handles
- 2 x Infill windows
- Top & Bottom Rails
- Ramp
- Fixing Kits

Frame Tent Product Range

Aliframe Marquee – Premium system

Aliframe Marquee has been analysed to with stand wind loading up to 80 mph. With bay length options of 3m or 4.5m length, this system is both flexible and value for money.

This marquee is supplied with 30” mushroom headed stakes. Ratchet guys are available if concrete or water weights are required for anchorage.




Continental Marquee – Compatible with leading industry suppliers

Our Continental Frame Marquees are designed to be compatible with leading industry suppliers.

Quickfit Marquee – Professional, lightweight

Quickfit Marquees are ideal for catering marquees, exhibitions and small function rooms. They are quick to construct and use the same design principles as the Aliframe system. At 3m and 4.5m spans, clients can choose which from two framework profiles depending the on application and budget.



Flexiframe Marquee – Flexible Framework

Flexiframe system uses a system of different lengths of beam and extension knuckles to maximise the spans you can achieve with minimum framework. Roof beams can also be used as an upright

Walkways– Finishing Touches!

Our walkway design maximises your options for that awkward site by coping with level changes and doglegging around obstructions



Frame Tent Range – at a glance

Marquee Features	Aliframe	Continental	Quickfit	Flexiframe	Walkway
Spans	6m (20'), 9m (30'), 12m	6m, 9m, 12m	3m (10'), 4.5m (15'), 6m (20')	6m (20'), 9m (30'), 12m (40')	2m or 3m
Bay lengths available	3m (10') or 4.5m (15')	3m	3m (10') or 4.5m (15') for 3m/4.5m span. 3m (10') only for 6m (20') span	3m (10') or 4.5m (15')	3m (10')
Roof tensioning	Bungee or Bar tensioned	Bungee or Bar tensioned	Bungee tensioned	Bungee or Bar tensioned	Bungee tensioned
Wall / Gable end design	Separate gable end triangles	Separate gable end triangles	Integral gable end and wall design	Separate gable end triangles	Separate gable end triangles, with integral gutter
Wall specification	PLAIN: Dutch Laced WINDOWS: Zipped	PLAIN: Dutch Laced WINDOWS: Zipped	PLAIN: Zipped WINDOWS: Zipped	PLAIN: Dutch Laced WINDOWS: Zipped	N/A
Eave Height	2.4m	2.3m	2.3m	2.4m	2.3m
Framework Profile (Main)	113 x 60mm, 4track	94 x 48mm, 4 track or 114 x 80mm, 4 track	80 x 47mm, 4 track OR 57 x 47mm, 2 track	113 x 60mm, 4track	57 x 47mm, 2 track
Fabric Types	White 'smooth' PVC COLOURS available	White 'smooth' PVC	White 'smooth' PVC COLOURS available	White 'smooth' PVC COLOURS available	White 'smooth' PVC COLOURS available
Wind Loading Capacity	28 – 36 m/s (up to 80mph) dependant on span and bay length	22 – 28 m/s	N/A	N/A	N/A



Frame Tent - applications



BARKERS Marquees

T: 01883 337099

E: sales@barkersmarquees.co.uk

W: www.barkersmarquees.co.uk

Address : Unit B5, Flower Farm, Oxted Road, Godstone, Surrey, RH9 8BP



**RAISING INDUSTRY
STANDARDS SINCE 1919**

FRAME TENTS